



172610060672




A2210471197109C

1

4

1

2022 02 17



16-479097C413

2210471197109C

李翠翠

18000000000

2210471197109C

4

检测项目	2022.02.10		2022.02.10-11		标准
	2022.02.10 10:57	2022.02.10 13:55	2022.02.10 16:19	2022.02.11 08:19	
总硬度	+215				GB 20426-2006
pH	7.1	6.9	7.2	6.9	6-9
氨氮	0.029	0.03	0.032	0.029	—
总磷	2.41	2.62	2.25	2.43	—
COD _{Cr}	ND	6	ND	ND	—
总氮	ND	ND	12.7	5	—
溶解性总固	ND	ND	0.06	ND	5
电导率	+560				GB 20426-2006
	2022.02.10 11:07	2022.02.10 14:22	2022.02.10 16:58	2022.02.11 08:19	GB 20426-2006
pH	7.9	8.0	7.9	7.8-8.0	6-9
氨氮	0.038	0.043	0.038	0.040	—
总磷	2.17	2.17	2.96	—	—
COD _{Cr}	33	33	33	50	—
总氮	12	10	14	12	50
溶解性总固	ND	ND	0.05	ND	5


GB 20426-2006

2210471197109C		4	
mg/L			
pH	pH HJ 1147-2020	()	pH SX711 TTE20201801
	HJ 535-2009	0.025	py200 (TTE20101045A)
	HJ 636-20	0.05	UV-1800PC (TTE20178071)
COD _{Cr}		50ml	EDD19JL21051
	HJ 1901-1989	4	SECURAY 10-1CN TTE20192553
	HJ 637-20	0.06	JLBG-126U TTE20178711

REAS



172300060572




A2210471197109CR1

1 4

*

2

2022 04 15



No. 479097C413

#

1 5

1

()					
()					
" "					
" "					

2

()

()

()

(

()			

